



WILEY X[®]

2024 TACTICAL EYEWEAR

Europe | Middle East | Africa





PIONEERS IN PROTECTIVE EYEWEAR

Wiley X is a global leader in the protective eyewear market, and we supply both military forces and law enforcement personnel with top of the line protective and ballistic eyewear.

We are pioneers in protective eyewear. However, as pioneers, we also experienced a great need and demand for high quality sunglasses that can be worn with confidence outside the battlefield.

We recognize that today's lifestyle poses constant threats to our eyes' health, and that is why we have created some of the most innovative, functional, performance ready, and color enhancing sunglasses in the world.



WX VAPOR 2.5 | 3501



CONTENT

- 06 Changeable
- 20 Goggles
- 28 Black Ops
- 34 Climate Control
- 40 Gloves
- 42 Gear & Accessories
- 50 Technology
- 66 Prescription Solutions
- 70 Nato Stock Number List



CAUTION
EYE PROTECTION
REQUIRED
IN THIS AREA

CHANGEABLE

Are protection, optical precision, and durability your top priorities? Then our Changeable series is your top-pick. With Changeable you are ready for any situation and demand set by the changing lights of the outdoors – swap out the lenses and you are ready to go!

SABER ADVANCED

 LASER LENS OPTIONAL

FITS HEAD SIZES
MEDIUM TO 2X-LARGE BASE 7 120



[DOWNLOAD SPECSHEET](#)



306NP2 / 360° Nose piece
included



306E / Elastic strap included



300 / Yellow lens /
Matte Black frame



301 / Light Rust lens /
Matte Black frame



302 / Grey lens /
Matte Black frame



303 / Clear lens /
Matte Black frame



304 / Vermillion lens /
Matte Black frame



306 / Grey + Light Rust lenses /
Matte Black frame

SABER ADVANCED

 LASER LENS OPTIONAL

FITS HEAD SIZES
MEDIUM TO 2X-LARGE BASE 7 120



[DOWNLOAD SPECSHEET](#)



306NP2 / 360° Nose piece included



306E / Elastic strap included



308G / Grey + Clear + Light Rust lenses /
Matte Black frame



308G / Grey + Clear + Light Rust lenses /
Matte OD Green frame



308T / Grey + Clear + Light Rust lenses /
Matte Tan frame



309 / Grey + Light Rust + Vermillion lenses /
Matte Black frame



317 / Grey + Clear lenses /
Matte Black frame

WX VALOR 2.5

FITS HEAD SIZES
SMALL TO LARGE

BASE 8 70 18 120



[DOWNLOAD SPECSHEET](#)



2.5 MM LENS



CHVAL01 / Grey lens /
Black Ops - Matte Black frame



CHVAL06 / Grey + Clear + Light Rust lenses /
Matte Black frame



CHVAL06T / Grey + Clear + Light Rust lenses /
Tan frame



CHVAL06G / Grey + Clear + Light Rust lenses /
OD Green frame

WX VALOR 2.5

FITS HEAD SIZES
SMALL TO LARGE

BASE 8 70 18 120



[DOWNLOAD SPECSHEET](#)



2.5 MM LENS



CHVAL07 / Grey + Clear lenses /
Matte Black frame



CHVAL08 / Polarized Grey lens /
Black Ops - Matte Black frame



EXTRA / CHVALL /
Light Rust lens



EXTRA / CHVALC /
Clear lens



EXTRA / CHVALS /
Grey lens

WX ROGUE COMM

 LASER LENS OPTIONAL

FITS HEAD SIZES
SMALL TO 2X-LARGE BASE 7 120



[DOWNLOAD SPECSHEET](#)



306NPT / 360° Nose piece
included



COMM TEMPLES



2852 / Grey + Clear + Light Rust lenses /
Matte Black frame



2862 / Grey + Clear + Light Rust lenses /
Matte Tan frame



EXTRA / PTX / 44 □ 25 /
Prescription Insert



EXTRA / 28C /
Clear lens



EXTRA / 28L /
Light Rust lens



EXTRA / 28S /
Grey lens



XL-1 ADVANCED COMM 2.5

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 62 17 120



DOWNLOAD SPECSHEET



COMM TEMPLES



2.5 MM LENS



XLG / Removable Facial Cavity™ Seal included



2951 / Grey + Clear lenses /
Matte Black frame



2952 / Grey + Clear + Light Rust lenses /
Matte Black frame



EXTRA / EH409-9 /
Elastic Strap w. Rubber Tips



EXTRA / 29C /
Clear lens



EXTRA / 29L /
Light Rust lens



EXTRA / 29S /
Grey lens

WX VAPOR 2.5

 LASER LENS OPTIONAL

FITS HEAD SIZES
SMALL TO 2X-LARGE BASE 7 135



[DOWNLOAD SPECSHEET](#)



2.5 MM LENS



TLNP / Twistlock Nose Piece included

ON REQUEST, AVAILABLE IN THREE DIFFERENT FRAME AND LENS SIZES SMALL, MEDIUM OR LARGE



3501 / Grey + Clear lenses /
Matte Black frame



3502 / Grey + Clear + Light Rust lenses /
Matte Black frame



3511 / Grey + Clear lenses /
Matte Tan frame



3512 / Grey + Clear + Light Rust lenses /
Matte Tan frame



LEP-135 / 532 Nm lenses /
Matte Black frame



LEP-235 / 660 Nm lenses /
Matte Black frame



LEP-335 / 800+1064 Nm lenses /
Matte Black frame



LEP-235 / 1064 Nm lenses /
Matte Black frame

WX VAPOR COMM 2.5



LASER LENS OPTIONAL

FITS HEAD SIZES
SMALL TO 2X-LARGE

BASE 7 150



DOWNLOAD SPECSHEET



TLNP / Twistlock Nose Piece included



COMM TEMPLES




2.5 MM LENS



3552 / Grey + Clear + Light Rust lenses /
Matte Black frame



3562 / Grey + Clear + Light Rust lenses /
Matte Tan frame



EXTRA / 35C /
Clear lens



EXTRA / 35L /
Light Rust lens



EXTRA / 35S /
Grey lens



EXTRA / TLRX / 42 □ 24 /
Prescription Insert



WX DETECTION

FITS HEAD SIZES
SMALL TO 2X-LARGE

BASE 7 114

HVP F HARD FOG



1205 / Clear + Yellow + Orange + Purple + Copper lenses /
Matte Black frame



EXTRA / 12C /
Clear Extra lens



EXTRA / 12CP /
Copper lens



EXTRA / 12P /
Purple lens



EXTRA / 12OR /
Orange lens



EXTRA / 12Y /
Yellow lens

WX SAINT

FITS HEAD SIZES
SMALL TO MEDIUM



[DOWNLOAD SPECSHEET](#)



CHSAI06 / Grey + Clear + Light Rust lenses /
Matte Black frame



CHSAI07 / Grey + Clear lenses /
Matte Black frame



EXTRA / CHSAIC /
Clear lens



EXTRA / CHSAIL /
Light Rust lens



EXTRA / CHSAIS /
Grey lens





GOGGLES

The best protection ensures battle ready precision! Our high-performance tactical goggles ensure maximum protection and quality comfort – Created to protect soldiers in the harshest environments, Wiley X' goggles are acknowledged by armed forces worldwide.

Goggles must withstand 5,56 mm projectiles fired at a rate of 594-612 km/h. This ensures that our lenses and frames are practically indestructible.

SPEAR

 LASER LENS OPTIONAL

FITS HEAD SIZES
MEDIUM TO 2X-LARGE BASE 5 ADJ.



[DOWNLOAD SPECSHEET](#)



SP29TFCS /
Removable Facial Cavity™
Seal included



SP29B / Grey + Clear lenses /
Matte Black frame



SP29T / Grey + Clear lenses /
Matte Tan frame



SP293B / Grey + Clear + Light Rust lenses /
Matte Black frame



SP293T / Grey + Clear + Light Rust lenses /
Matte Tan frame



INCLUDED / SP29EB - Black / SP29ET - Tan /
Elastic Strap



EXTRA / SP29RASBTW / SP29RASTTW / Team Wendy
Exfil Helmet, Rail Attachment System



EXTRA / SP29RASB - Black / SP29RAST - Tan /
Rail Attachment System - ARC



EXTRA / SP29XTL / 42 □ 24 /
TLRX - Prescription Insert + SP29PSTTL - post



SPEAR DUAL

FITS HEAD SIZES
MEDIUM TO 2X-LARGE BASE 5 ADJ.



DOWNLOAD SPECSHEET



SP29FCS /
Removable Facial Cavity™
Seal included



SP293DLB / Grey + Clear + Light Rust Dual lenses /
Matte Black frame



SP293DLT / Grey + Clear + Light Rust Dual lenses /
Matte Tan frame



EXTRA / SP29RASBTW / SP29RASTTW / Team Wendy
Exfil Helmet, Rail Attachment System



EXTRA / SP29RASB - Black / SP29RAST - Tan /
Rail Attachment System - ARC



EXTRA / SP29DC /
Clear lens



EXTRA / SP29DL /
Light Rust lens



EXTRA / SP29DS /
Grey lens



EXTRA / SP29XTL / 42 □ 24 /
TLRX - Prescription Insert + SP29PSTTL - post

NERVE

 LASER LENS OPTIONAL

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 7
ADJ.



[DOWNLOAD SPECSHEET](#)



R-8051 / Grey + Clear lenses /
Matte Black frame



INCLUDED / R-8051E - Black / R-8051ET - Tan /
Elastic Strap



EXTRA / SP29RASBTW / SP29RASTTW / Team Wendy
Exfil Helmet, Rail Attachment System



EXTRA / SP29RAST - Tan / SP29RASB - Black
Rail Attachment System - ARC



EXTRA / R-8051C /
Clear lens



EXTRA / R-8051L /
Light Rust lens



EXTRA / R-8051S /
Grey lens




EXTRA / R-8051X / 44 □ 25 /
PTX - Insert + R-8051PST - post

RAIL ATTACHMENT SYSTEM – ARC

The Rail Attachment System is the perfect solution to integrate Wiley X goggles into your helmet rail system.

The RAS includes two short straps with two Rail Attachment Clips and two Rail Attachment Bars to guarantee a perfect fit for most of the ARC helmet rails available on the market. The RAS is available for the Nerve and Spear goggles in black and tan colors.



Rail Attachment Bar



Rail Attachment Clip



Both attachment systems (bar and clip) are included in a set.

RAIL ATTACHMENT SYSTEM – TEAM WENDY

With the Rail Attachment System compliant with most Team Wendy rails, you can easily adapt your Wiley X goggles to the rail of the helmet.

The TW RAS includes two straps which are adjustable in length by the containing slider, enabling the user to modify the fit and tightness of the goggle. The TW RAS is available for the Nerve and Spear goggles in black and tan colors.

The TW RAS is compliant with both the Team Wendy EXFIL® 2.0 and 3.0 rails.



Rail Attachment Mount



Rail Attachment Mount is included in a set







BLACK OPS

Inspired by the shadowy realms of covert operation, the collection was created for elite military personnel and hard-core shooters. The combination between the black frame and the grey lenses are the perfect match for you who want a subtle look with extreme safety.

WX VALOR 2.5

FITS HEAD SIZES
SMALL TO LARGE

BASE 8 70 18 120



DOWNLOAD SPECSHEET



2.5 MM LENS



CHVAL01 / Grey lens /
Matte Black frame



EXTRA / CHVALC /
Clear lens



EXTRA / CHVALS /
Grey lens

WX GRID

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 71 18 122



DOWNLOAD SPECSHEET



CCGRDG2 /
Removable Facial Cavity™
Seal included



CCGRD01 / Grey lens /
Matte Black frame



INCLUDED / A493 /
Button temple tip strap - Black

WX CLIMB

FITS HEAD SIZES
MEDIUM TO LARGE



WX OZONE

FITS HEAD SIZES
MEDIUM TO LARGE



CCOZNCAG /
CLICK A.I.R. Gasket included

CAPTIVATE™



ACCLM01 / Grey lens /
Black Ops - Matte Black frame



ACCLM02 / Grey lens /
OD Green frame



CCOZN05 / Photocromic Grey lens /
Matte Black frame



CCOZN08 / CAPTIVATE™ Polarized Grey lens /
Matte Black frame



INCLUDED / A493 /
Button temple tip strap - Black



WX BREACH

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 63 15 115



DYNAMIC VENTILATION SYSTEM



FLOATING FACIAL CAVITY™ SEAL AVAILABLE



CCBRHG2 / Removable Facial Cavity™ Seal included



CCBRH01 / Grey lens / Matte Black frame



INCLUDED / A493 / Button temple tip strap - Black



EXTRA / CCBRHGF / Removable Floating Facial Cavity™ Seal

WX GRAVITY

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 63 17 119



FLOATING FACIAL CAVITY™
SEAL AVAILABLE




CCGRA2 /
Removable Facial Cavity™
Seal included

CAPTIVATE™

WX OMEGA

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 66 17 125



CAPTIVATE™



CCGRA01 / Grey lens /
Matte Black frame



CCGRA08 / CAPTIVATE™ Polarized Grey lens /
Matte Black frame



ACOME01 / Grey lens /
Matte Black frame



ACOME08 / CAPTIVATE™ Polarized Grey lens /
Matte Black frame



INCLUDED / EH409-4 /
T-Peg™ Elastic Strap - Black



EXTRA / CCGRAF6 /
Removable Facial Cavity™ Seal

WX CONTEND

FITS HEAD SIZE
LARGE

BASE 8 62 17 130



WX SAINT

FITS HEAD SIZES
SMALL TO MEDIUM

BASE 8 68 16 114



[DOWNLOAD SPECSHEET](#)



ACCNT01 / Grey lens /
Matte Black frame



CHSAI07 / Grey + Clear lenses /
Matte Black frame



EXTRA / CHSAIC /
Clear lenses



EXTRA / CHSAIS /
Grey lenses



GAEL DUARTE DOMINQUES | WILEY X AMBASSADOR

A close-up photograph of a person's arm wearing a black sleeve, positioned against a background of a brick wall. The lighting is warm, suggesting an outdoor setting. The text is overlaid on the right side of the image.

CLIMATE CONTROL

Designed to keep the vision clear and protected in high-speed situations, the included Facial Cavity™ Seal or CLICK A.I.R. gasket will make sure that not even the finest dust, rain, or wind will disturb the wearer's visual experience. The CLICK A.I.R. gasket also offers a layer of versatility, by allowing the user to control airflow to the eyewear and, in this way, eliminate any potential fogging. Find the CLICK A.I.R. and Facial Cavity™ Seal tech section on page 54-55.

WX OZONE

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 63 18 125



CCOZNCAG /
CLICK A.I.R. Gasket included



CCOZN05 / Photocromic Grey lens /
Matte Black frame



CCOZN06 / Grey Silver Flash lens /
Matte Charcoal fade to grey frame



CCOZN08 / CAPTIVATE™ Polarized Grey lens /
Matte Black frame



INCLUDED / A493 /
Button temple tip strap - Black

WX GRID

FITS HEAD SIZES
MEDIUM TO LARGE

BASE 8 71 18 122



[DOWNLOAD SPECSHEET](#)



CCGRD62 /
Removable Facial Cavity™ Seal included



CCGRD01 / Grey lens /
Matte Black frame



CCGRD03 / Clear lens /
Matte Black frame



CCGRD08 / CAPTIVATE™ Polarized Grey Lens /
Matte Utility Green frame



INCLUDED / A493 /
Button temple tip strap - Black



GLOVES

Keeping your hands protected is key. The Wiley X gloves will make sure that your hands get the best protection and the highest quality for your performance. No matter what, we've got the gloves for you.

APX SMARTTOUCH GLOVE

GLOVE SIZE
SMALL TO 2X-LARGE



DOWNLOAD SPECSHEET



G750 / Black

PROTECTION

- Synthetic leather knuckle and palm for maximum durability/breathability
- Reinforced thumb and palm patch on high-wear areas
- Moisture wicking heavy-duty lycra gussets for increased breathability
- Ventilated fingers for increased airflow and breathability

ADDITIONAL INFORMATION

- SmartTouch system on index finger and thumb for easy control of smartphones, tablets or similar devices with touch screen functions
- Clip-strap for easy storage and portability

DURTAC SMARTTOUCH GLOVE

GLOVE SIZE
SMALL TO 2X-LARGE



DOWNLOAD SPECSHEET



G700 / Black



G701 / Tan



G702 / Foliage Green

PROTECTION

- Injection molded thermoplastic knuckle and individual finger protectors for superior impact and abrasion resistance
- Ergonomically shaped palm with synthetic leather for maximum durability and breathability
- Reinforced thumb on high-wear areas
- Moisture wicking heavy-duty lycra gussets for increased breathability
- Ventilated fingers for increased airflow and breathability

ADDITIONAL INFORMATION

- SmartTouch system on index finger and thumb for easy control of smartphones, tablets or similar devices with touch screen functions
- Neoprene cuff for custom fit
- Lycra expansion slot
- Molded TPR closure for easy grip with stealth tonal logo
- Air mesh on back of hand for increased breathability

GEAR & ACCESSORIES

Our range of apparel and accessories is full of cool cases, headgear, T-shirts, patches, straps, and bottles that will help you look great and enhance your overall Wiley X experience.

CASES & MICROFIBER BAGS



A427 / WX Cleaning Cloth



DN-112R / WX Case for 3 pair of Eyewear, w/ zipper



DN350 / WX Case, Zippered - Black



DN705 / WX DETECTION, 5 Lens case - Black



DN282 / Tactical Eyewear Pouch - Tan



TS-235P / WX Case, Semi Hard w/ Molle Straps - Black



TS-235N / WX Case, Semi Hard - Black



TS-235M / Semi Hard w / Molle Strap - Black with WX/Wiley X Logo



MB-310 / BWX Microfiber Bag w/ String - Black



MB-310-2 / WX Microfiber Bag w/String and Extra Pocket



AN572 / WX Goggle Lens Sleeve - Black



AN570 / WX Nylon Bag, fits SPEAR - Black



A428 / WX Cleaning Cloth - Black w/ WX/Wiley X Logo



DN800 / WX Case Black w/ Wiley X Logo



DN900 / WX Microfiber Bag w/ Drawstring - Black



DN550 / WX Microfiber Bag, CAPTIVATE™ w/ Drawstring - Grey

APPAREL & GEAR



J307 / WX Tac T-shirt / Tan Melange w/ Wiley X /
EU Size: S, M, L, XL, 2XL



J301 / WX Core T-shirt / Black Cotton w/ Wiley X Dot /
EU Size: S, M, L, XL, 2XL



J302 / WX Core T-shirt / Grey Lemange w/ Wiley X
EU Size: S, M, L, XL, 2XL



J904 / WX Snapback Cap / Green & Tan
- One Size



J540KT / WX Camo Cap / Kryptek® Typhon™
- One Size



J540KH / WX Camo Cap / Kryptek® Highlander™
- One Size



J540KN / WX Camo Cap / Kryptek® Neptune™
- One Size



J905 / WX Snapback Cap / Black & Grey
- One Size



J902 / WX BUFF® Multifunctional Headwear / Grey



CCMB0.6 / WX Camelbak Chute® Mag,
0.6 l Bottle - Black

STRAPS & CORDS



A492 / WX Leash cord



EH409-4 / T-Peg™ Elastic Strap - Black



EH409-9 / WX Elastic Strap w/ Rubber Tips - Black



A494 / WX Floating Leash Cord - Black



29RASBTW / Spear - Nerve, Team Wendy Exfil
Helmet, Rail Attachment System - Black



P29RAS TTW / Spear - Nerve, Team Wendy Exfil
Helmet, Rail Attachment System - Tan



SP29RASB / Spear Rail Attachment System / Black



SP29RAST / Spear Rail Attachment System / Tan



SP29EB / Spear Elastic Strap - Black



SP29ET / Spear Elastic Strap - Tan



R-8051E / Nerve Elastic Strap - Black

APPAREL & GEAR



J105 / WX CANYON T-Shirt /
OD Green & Coyote Brown WX/Wiley X



J108 / WX CANYON T-Shirt /
OD Green & Coyote Brown Wiley X



J109 / WX CANYON T-Shirt /
OD Green & Onyx Black WX/Wiley X



J120 / WX CANYON T-Shirt /
Sage Green & OD Green WX/Wiley X



J130 / WX CANYON T-Shirt /
Sage Green & OD Green Vertical Wiley X



J150 / WX CANYON T-Shirt /
Sage Green & OD Green Wiley X



J160 / WX CANYON T-Shirt /
Coyote Brown & Dark Grey WX/Wiley X



J170 / WX CANYON T-Shirt /
Coyote Brown & Dark Grey Wiley X



J180 / WX CANYON T-Shirt /
Coyote Brown & Dark Grey Vertical Wiley X



J203 / WX CANYON T-Shirt /
Onyx Black & Grey Vertical Wiley X



J204 / WX CANYON T-Shirt /
Onyx Black & Grey WX/Wiley X



J205 / WX CANYON T-Shirt /
Onyx Black & Sage Green WX/Wiley X

APPAREL & GEAR



J412 / WX URBAN Hoodie /
OD Green & Coyote Brown Wiley X



J413 / WX URBAN Hoodie /
OD Green & Coyote Brown WX/Wiley X



J414 / WX URBAN Hoodie /
Sage Green & OD Green Wiley X



J416 / WX URBAN Hoodie Zip /
OD Green & Coyote Brown WX/Wiley X



J417 / WX URBAN Hoodie /
Sage Green & OD Green WX/Wiley X



WX CANYON T-SHIRT | J170

WX TRUCKER CAP | J922 | NICOLAS DROUT



APPAREL & GEAR



J906 / WX Trucker Cap / Dark Grey, Black
- One Size



J931 / WX Trucker Cap / Dark Grey, Tan
- One Size



J916 / WX Trucker Cap / Olive Green, Olive Green
- One Size



J917 / WX Trucker Cap / Olive Green, Black
- One Size



J918 / WX Trucker Cap / Olive Green, Black
- One Size



J919 / WX Trucker Cap / Olive Green, Tan
- One Size



J920 / WX Trucker Cap / Tan, Grey, Black
- One Size



J921 / WX Trucker Cap / Tan, Grey
- One Size



J922 / WX Trucker Cap / Tan, Grey, Black
- One Size



J932 / WX Trucker Cap / Dark Grey, Signal Orange
- One Size



J915 / WX Trucker Cap / Dark Grey, Signal Orange
- One Size



J914 / WX Trucker Cap / Dark Grey, Signal Orange
- One Size




TECHNOLOGY

Wiley X premium protective eyewear use the world's most durable and lightweight materials: shatterproof Selenite™ polycarbonate lenses with scratch-resistant T-Shell™ hardcoat and virtually indestructible Triloid™ nylon frames.

Wiley X: the only premium eyewear brand whose entire line is ANSI and EN.166 safety tested.





ANSI HIGH VELOCITY IMPACT/V0 BALLISTIC TESTS

When tested, the spectacles and goggles, including their lenses, must withstand different kind of impact depending on the different test standards specifications:

HIGH VELOCITY AND BALLISTIC IMPACT	SPECTACLES	GOGGLES
ANSI Z87km/h	6,35 mm diameter steel ball fired at 165 km/h	6,35 mm diameter steel ball fired at 274 km/h
MIL-PRF-32432	0,15 caliber projectile fired at 702-724 km/h	0,22 caliber projectile fired at 604-614 km/h
MIL-PRF-32432A	0,15 caliber projectile fired at 786-796 km/h	0,22 caliber projectile fired at 636-647 km/h

ANSI HIGH MASS IMPACT TEST

Wiley X ANSI tested frames and lenses must withstand the weight of a 500 grams pointed projectile dropped from a height of 127 cm. This test pretty much ensures that they will stand up to anything you will encounter.





IMPACT SPEED & CERTIFICATIONS ICON DESCRIPTION



EN.166S TESTED

Frame and lens must withstand the impact of a 22 mm steel ball weighing 43 grams dropped from 1.3 meters at a speed of 18 km/h. The lens must remain in the frame and should not be shattered. The frame must remain intact as well.




EN.166F TESTED

Frame and lens must withstand the impact of a 6 mm steel ball weighing 0.86 gram fired at 162 km/h. The lens must remain in the frame and should not be shattered. The frame must remain intact as well.



EN.166B TESTED

Frame and lens must withstand the impact of a 6 mm steel ball weighing 0.86 gram fired at 432 km/h. The lens must remain in the frame and should not be shattered. The frame must remain intact as well.



HIGH VELOCITY PROTECTION RATED

Meets ANSI Z87.1 high velocity impact safety and optical standards.



BALLISTIC TESTED

Meets MIL-PRF-32432(GL) ballistic standards for spectacles and goggles.



BALLISTIC TESTED

Meets MIL-PRF-32432A ballistic standards for spectacles and goggles.



FEATURES & COATING ICON DESCRIPTION



FILTER 8™ POLARIZATION

Our proprietary polarized lens technology adds 100% polarization to 100% ultraviolet protection for unequalled clarity and contrast.



PRESCRIPTION READY

WileyX frames can be fitted with a prescription lens.



FACIAL CAVITY™ SEALS

Our removable Facial Cavity™ Seals block out wind, debris and peripheral light.



FLOATING FACIAL CAVITY™ SEALS

Removable Floating Facial Cavity™ Seals block out wind, debris, peripheral light and it floats if you were to drop it while on the water.



HARD COATING

Scratch resistant coating protects against damage and extends the life of the lens.



HYDROPHOBIC COATING

Water repellent coating. Lets the water slide off instead of sticking to the lens. Only on polarized lenses.



ANTI-FOG COATING

Anti-fog coating prevents misting on the lens in high humidity and temperature differences.



ANTI-REFLECTIVE COATING

Anti-reflective coating eliminates distracting reflections of the lens surfaces. Only on polarized lenses.



OLEOPHOBIC COATING

Helps to keep dust, dirt and oils from sticking to the lens. Only on CAPTIVATE™ lenses.



SMARTTOUCH SYSTEM

SmartTouch system on index finger and thumb for easy control of smartphones, tablets or similar devices with touch screen functions.



CLICK A.I.R. GASKET

The CLICK A.I.R. gasket allows air to flow through and effectively venting the eyewear, eliminating any fogging issues, and blocking out wind, debris, and peripheral light.



COMM TEMPLES

Offer the user of shooting earmuffs and other ear mounted communication devices a comfortable fit.



DUAL LENS TECHNOLOGY

Incorporated thermal bridge between two lens layers, which divides the cold and the warm air from each other and prevents fogging to appear.




GET A TRUE COLOR EXPERIENCE

The human eye cannot see the entire light spectrum. Some areas are too difficult for the eye to see clearly, while others are too dangerous for the eyes' health. CAPTIVATE™ lenses filter out the harmful rays and light that confuses the eye, ultimately increasing visual clarity and definition with vibrant contrast and vivid details.

CAPTIVATE™ is a unique, patented lens technology that redefines a true, visual color experience by filtering out harmful UV-rays/blue Light (HEV) – It is a technology that is all about visualizing the light spectrum and giving you a true and unmanipulated color experience.

LIGHT SPECTRUM WITHOUT CAPTIVATE™

Our eyes can easily distinguish the blue, green, and red wavelengths along the visible light spectrum. However, it is where the blue, green, and red wavelengths merge that the eyes can have a difficult time seeing clearly.



LIGHT SPECTRUM WITH CAPTIVATE™

CAPTIVATE™ lenses filter out the confusing light in these merging areas and makes the light spectrum clearer for the eye.



WHAT MAKES CAPTIVATE™ UNIQUE?

Unique for the CAPTIVATE™ technology is the way in which light is filtered. Other brands' color enhancing technology boost and manipulate the colors that they let pass through their filter, which gives you a false color representation. This means that the colors you see are not necessarily the natural colors.

However, CAPTIVATE™ works differently. The filter sorts out the unwanted wavelengths, letting the wanted wavelengths through in their natural form. Ultimately, this secures you a visual experience with increased natural colors.

SCRATCH/ABRASION RESISTANCE

CAPTIVATE™ lenses achieve a Bayer 7 rating for scratch resistance.

WHAT IS THE BAYER ABRASION TEST?*

The Bayer test is one of the most cited test methods for abrasion resistance. This test subjects both a coated and an uncoated lens to abrasion from oscillating "sand". The tray is reciprocated in a back-and-forth motion at a distance of 10 cm (4 inches) at 150 cycles per minute for 4 minutes.

After this, the haze is measured on both lenses. The ration of haze gain of the uncoated lens to the coated lens is the Bayer Ration. A Bayer Ration of "1" means that the coating has equivalent abrasion resistance to an uncoated lens. A Bayer Ration of "7" means that the uncoated standard lens has seven times the haze gain as the coated lens. A Bayer Ration of "4" or higher is a premium coating.



*November 2011, Testing Scratch Resistant and AR Lenses

OLEOPHOBIC COATING



All CAPTIVATE™ lenses are treated with our proprietary oleophobic coating, which gives the lenses a smoother surface that keep dust, dirt, oil, snow, and water from sticking to the lenses. This helps in preventing smudge and water spots, making the lenses easier to clear.



BENEFITS OF CAPTIVATE™

ENHANCED COLORS AND CONTRAST

CAPTIVATE™ filters out the confusing light where blue merges with green (500nm) and green merges with red (585nm). This allows for more light where it is easier for your eyes to see, resulting in vivid contrasts, and enhanced blue, green, and red colors.

GREATER CLARITY AND BETTER DEPTH PERCEPTION

Blue light (HEV) with shorter wavelengths and higher frequencies scatter light and create haze. By filtering out these harmful rays, CAPTIVATE™ removes this haze and allows distant objects to be seen more clearly, while also increasing your depth perception.

BLOCKS UV AND BAD BLUE LIGHT

CAPTIVATE™ blocks UV/blue rays that are harmful for your eyes. Blue light is not only an issue from screens. Outside, we are exposed to more than 30 times the amount as 1 hour in front of a screen inside. With CAPTIVATE™ all bad blue light up to 430 nm is blocked.



COMM TEMPLE SYSTEM



Our COMM TEMPLES are thin enough to fit under shooting earmuffs, and other ear mounted communication devices providing a comfortable fit. Almost unnoticeable, these slim temples prevent irritation that you may experience with other eyewear. Available on selected models.

Regular Temples

Comm Temples



360° NOSE PIECE

A wire core makes this nose piece fully adjustable. Specially developed rubber on top of the wire core guarantees a superior grip during almost any activity. The rubber is also very robust and so comfortable that the glasses can be worn all day without any discomfort.

- Prepared to hold the Wiley X prescription inserts
- Adjustable to all nose shapes and sizes
- Specially developed rubber coating for superior grip and high comfort



POLYCARBONATE LENSES

To meet the stringent worldwide safety eyewear standards, Wiley X uses the lens material called polycarbonate. The flexibility and strength of polycarbonate enables it to stop the impact from a 12 gauge shotgun or fragments from an IED (Improvised Explosive Device). Wiley X applies anti-scratch coatings on all lenses to increase the lifetime and maintain a top of the line product.




DUAL GOGGLE LENS



The DUAL Lens technology used in the Wiley X goggles secures a free view in all extreme weather and temperature conditions. Typically with standard goggles the outside area is usually warmer, causing the lens to fog. With the Wiley X DUAL Lens technology, the integrated thermal bridge between the two lens layers separates cold and warm air, preventing temperature differences that would result in fogging.


WX DUAL TECHNOLOGY

Two layer lens



THE SECRET BEHIND

The picture is showing a Saber Advanced lens, which has been shot from only 10 meters distance using a 12ga shotgun with Modified Choke and shooting with steel shot size #7. As the picture shows, the lens was hit by multiple pellets – no cracks or penetration on the back of the lens leaving the eyes intact and protected.



FACIAL CAVITY™ SEALS



Fine dust and pollen, as well as wind, can cause long-term eye irritation such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X removable soft foam Facial Cavity™ Seals combined with Top Down™ Ventilation System block out even the finest irritants and peripheral light, protecting the eyes and allowing all lenses to perform at peak levels. Facial Cavity™ Seals are available on selected styles.

DRY EYE SYNDROME

Dry eyes are a result of decreased tear production or change in the tear film's consistency resulting in tears evaporating quicker. In both cases, the tear film is reduced and does not cover the entire surface of the eye, which can cause irritation and itchiness.

Protecting your eyes while participating in activities that expose you to wind, dust and other debris is crucial in preventing dry eyes that can result in Dry Eye Syndrome. The Wiley X Facial Cavity™ Seal and the base curve of all Wiley X frames help minimize the airflow around the eye, allowing the user to focus on the challenge at hand.



FLOATING FACIAL CAVITY™ SEALS



Comfortable, removable, and durable Floating Facial Cavity™ Seals easily clip into Wiley X's innovative Climate Control series eyewear. This unique performance technology prevents your glasses from sinking as well as shields your eyes from harmful and disturbing outside elements like wind, peripheral light, dust, and debris. Floating Facial Cavity™ Seals are available on selected styles.





CLICK A.I.R. GASKET SYSTEM



With the Click A.I.R. gasket technology, Wiley X offers new possibilities and advantages. Like our regular foam gaskets, the CLICK A.I.R. gasket is designed to protect the eyes from irritants like dust and wind, by creating an effective foam barrier. However, with this design's enhancements, the barrier can be unsealed to allow airflow. By a click of a button, the CLICK A.I.R. gasket (A.I.R. = Air Intake Regulation) is opened, allowing air to flow through the gasket and effectively venting the glasses and eliminating any fogging issues. Click open the ventilation or close for an airtight seal – the choice is yours.



STANDARD LENS OPTIONS



CLEAR LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 89%*

With the lens you get maximum light transmission, making you see the precise color values. Ideal for hazy or overcast weather, as well as dusk/dawn conditions and indoor use.



VERMILLION LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 45%*

Performs best in medium to low light conditions. It increases contrast, as it blocks blue light (HEV), as well as it sharpens contrast and brightens targets.



COPPER LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 14%*

Enhances contrast and ensures you superior visual definition in bright sun conditions.



ORANGE LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 55%*

It sharpens contrasts and dampens green colors, making it perfect on the range or out hunting. With this lens, your optimal vision is ensured, when used in medium to low-light conditions.



LASER LENS

Ballistic laser lens protection program is designed and developed to block visual and non-visual frequencies with unique dye-filter combination and capabilities in the lens system. Available on special request.



GREY LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 15%*

Absorbs all colors equally, making it preserve the same color perception as without sunglasses. It is perfect in bright light conditions, ensuring maximum glare reduction..



YELLOW LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: SABER 86% / DETECTION 82%*

The best light enhancing lens tint. It filters out the blue light (HEV), which may cause glare, and it enhances contrast in low-light, foggy, or overcast conditions.



LIGHT RUST LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 52%*

It filters out most blue light waves (HEV), which is the key component of glare and haze. It enhances contrast in medium to low light conditions.



PURPLE LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 40%*

It is best for use in medium to low-light conditions. The lens sharpens contrast and brightens targets, as the green color is dampened to the max..



PHOTOCHROMIC GREY LENS

100% UVA/UVB PROTECTIVE
LIGHT TRANSMISSION: 81%/17%*

Automatically adjusts to the intensity of the UV light rays. Lenses will change from being 81% clear, when there is no presence of UV light (indoors) to being a pair of sunglasses, when in direct UV light (outdoors).

CAPTIVATE™ AND POLARIZED LENS OPTIONS



POLARIZED GREY LENS

LENS BASE COLOR: GREY
LIGHT TRANSMISSION: 15%*

The lenses reduce glare and offer the greatest clarity. They block blinding glare, while preserving sharpness. 100% UVA/UVB protective.



CAPTIVATE™ POLARIZED GREY LENS

LENS BASE COLOR: GREY
LIGHT TRANSMISSION: 15%*

Get vivid colors and contrast! These lenses will keep most colors neutral but enhance all that is green, as well as reduce all glare from reflective surfaces.

Light transmission is the light which reaches the eye after the lens has discarded / absorbed some of the light.
*The light transmission varies +/- 3%, depending on the model.

PERFORMANCE MARKINGS

All Wiley X styles are ANSI rated and EN.166 tested. We test and mark all of our frames and lenses with the appropriate ANSI and EN.166 markings.

EN.166 STANDARD MARKINGS

EN.166(S) – Spectacles with increased robustness tests

EN.166(F) – Spectacles with low energy impact tests

EN.166(B) – Goggles with medium energy impact tests

ANSI STANDARDS

WX Z87-1 – The frame and temples or goggle frame pass the ANSI high velocity and high impact standards.

WX Z87-2 – The frame and temples or goggle frame pass the ANSI high velocity and high impact standards, and it can be fitted with prescription lenses.



ANSI STANDARD MARKINGS

WX	Precedes all ANSI rating marks. Wiley X is the manufacturer.
Z87	The frame and temples or goggle frame passes the ANSI high velocity and high impact test.
-2	The frame can be fitted with a prescription lens, which is the case with almost all Wiley X glasses.
+	The sunglasses or goggle frames, temples, and lenses pass the ANSI high velocity and high mass impact tests (2010 standard)..
+	The lens meets or exceeds the ANSI High Velocity Impact standard.
S	The lens is a filter or shaded lens (not clear).
V	The lens is variable-tint photochromic (light adjusting).

POLARIZED LENSES




Polarization is all about reflection and glare of horizontal surfaces like asphalt, the windshield, and especially water. So, when sunlight reflects off a surface it becomes very concentrated and intense – this is known as

glare. A good example is looking into a lake. The sun rays hit the horizontal surface and bounce back causing glare, which means you cannot look through the water.

So, what does a polarized lens do?

- A polarized lens is a lens covered with a polarized filter. This filter absorbs horizontal light. In this way, the lens only allows vertical light to enter. The result is that this reflected and intense glare is blocked from the user's vision.
- Unique for the Wiley X polarized lenses are that we test them to meet the EN.172, which is the optical safety standard for sunglare filters. This also means that the plane of polarization in our lenses do not deviate from the vertical or nominal direction with more than +/- 3%.





LASER EYE PROTECTION - LEP

Wiley X steps up to address Military personnel and Law Enforcement's need for a defense against flash blinding, the tactic of using lasers to obstruct an officer's vision. Military personnel and Law Enforcement officers face disorientation optical distortion and short- and long-term eye damage when encountering multiple laser assaults. Created for defense, our ballistically-rated Laser Lenses are infused with protective dyes to refract various laser wavelengths.

THE TECHNOLOGY BEHIND

Laser protection technology provides multiple solutions to achieve the necessary protection. There are three main elements that needs to be considered: Nanometers (Nm), Optical Density (OD) and Visual Light Transmittance (VLT).

Nanometers (Nm)

The Nm defines which type/color of laser (wavelength) the lens will protect again. For example, 532 Nm is the predominant of the green laser.

Optical Density (OD)

The OD defines the level of protection against the given Nm. If a laser pointer has a safety distance to the naked eye at for example 100 meters, you are safe at 10 meters when wearing a laser eyewear protection with an OD of 1. With an OD of 2, you are safe at 1 meter etc.

Visual Light Transmittance (VLT): The VLT describes how much light is transmitted through the lens. The higher the VLT, the more light will be transmitted through the lens, and the brighter the lens will be perceived. The VLT is broken down in Photopic and Scotopic Transmittance. The Photopic value indicates the vision for color perception under well-lit conditions (normal daylight), which functions primarily due to cones in the eye. The Scotopic value indicates the vision in very low light (night adjusted eye), which functions primarily due to rods in the eye.


The selected Nm in combination with the level of OD affects the VLT. The more different Nm there is combined in a lens, the lower the VLT will become. The same goes for the OD. The higher the OD, the darker the lens. So, if you want to create "the perfect laser protection lens" protecting against all Nm the lens will become very dark – close to useless. Therefore, it is important to do a proper risk and hazard assessment to select the lens combination you need. Wiley X can do any combination you may require. Please reach out to us for a quotation based on your needs.

Having the complexity of the technology in mind Wiley X have put different standard combinations of laser protection lenses together. The setups combined covers the full spectrum of the main Nm there is used in the branches of Military and Law Enforcement.

THE IMPORTANCE OF SCOTOPIC TRANSMITTANCE

The Scotopic value is very important, especially when talking lenses for use during night-time operations. As described above and illustrated to the left, the Scotopic value indicates the visibility in very low light (night adjusted eye). If the Scotopic transmission of a laser lens or any lens for that matter is too low (app. below 15%), the result would be similar to using a classic regular Grey lens at night-time. The use of it will be very limited, as the rods capabilities to function will be significantly decreased.


PHOTOPIC AND SCOTOPIC ABSORPTION CURVES



PROTECTION AGAINST GREEN LASER



RED TINT	
NM	532 Nm
LASER	Green
OPTICAL DENSITY	OD5+
VISUAL LIGHT TRANSMITTANCE	49%
PHOTOPIC TRANSMITTANCE	38%
SCOTOPIC TRANSMITTANCE	27%




— OD — VLT% / 10 — PHOTOPIC VM(I) — SCOTOPIC V' (I)

PROTECTION AGAINST RED LASER



BLUE TINT	
NM	660Nm
LASER	Red
OPTICAL DENSITY	OD4+
VISUAL LIGHT TRANSMITTANCE	36%
PHOTOPIC TRANSMITTANCE	47%
SCOTOPIC TRANSMITTANCE	75%




— OD — VLT% / 10 — PHOTOPIC VM(I) — SCOTOPIC V' (I)

PROTECTION AGAINST NEAR INFRARED LASER



GREEN TINT	
NM	800+1064 Nm
LASER	Near infrared
OPTICAL DENSITY	OD5+
VISUAL LIGHT TRANSMITTANCE	39%
PHOTOPIC TRANSMITTANCE	38%
SCOTOPIC TRANSMITTANCE	26%




— OD — VLT% / 10 — PHOTOPIC VM(I) — SCOTOPIC V' (I)

PROTECTION AGAINST NEAR INFRARED LASER



LIGHT GREY TINT	
NM	1064 Nm
LASER	Near infrared
OPTICAL DENSITY	OD5+
VISUAL LIGHT TRANSMITTANCE	55%
PHOTOPIC TRANSMITTANCE	55%
SCOTOPIC TRANSMITTANCE	53%



— OD — VLT% / 10 — PHOTOPIC VM(I) — SCOTOPIC V' (I)





PRESCRIPTION SOLUTIONS

To ensure that we can deliver protective prescription eyewear, we've teamed up with high base curve prescription lens experts and manufacturer, Shamir. The majority of all Wiley X models can be fitted with a wide range of customized prescription level lenses.

All prescription lense products supplied by Wiley X are tested to the EN.166 standards.



PRESCRIPTION LENSES



The majority of all the Wiley X frames can be fitted with prescription lenses. As our professional prescription lens partner, we have chosen Shamir, whose Attitude™ lenses are specifically developed for our 8-base curve frames. The result is individually customized lenses that offer crystal clear vision in any given situation, while providing the same crucial protection as the non-prescription lenses developed by Wiley X.

The prescription program enables simple ordering and delivery of single vision and progressive corrective lenses through your nearest optician.



WILEY X PRESCRIPTION INSERT



If you need prescription lenses, choosing a Wiley X model with an prescription insert provides you with the following advantages compared to models where the prescription lenses are built directly into the frame (full frame design).

- Easy and cheaper to replace an outer lens which has no prescription
- Up to 5 different front lens color options – allowing you to adjust to any given light condition
- Everyone can use the eyewear without the insert
- Still tested as safety eyewear
- Inserts match different models



PTX Insert



TLRX Insert

The PTX prescription insert can be used for:

- Saber Advanced
- WX Rouge Comm
- Nerve

The TLRX prescription insert can be used for:

- WX Vapor
- WX Vapor Comm
- Spear
- Spear Dual

PRESCRIPTION LENS INFORMATION FOR PTX AND TWIST LOCK INSERT (TLRX)

	POWER RANGE MAX CYL +/- 4.00	SINGLE VISION MINIMUM PD	PROGRESSIVE (ADD 1.00-3.50) (SEG. HT 14 TO 26) MINIMUM PD	ADD POWER RANGE
Insert	-6.00 to +6.00	27.5	27.5	
	-6.00 to +6.00	30.0	30.0	
	-6.00 to +6.00	32.5	32.5	4.00 ^a





NATO STOCK NUMBER LIST

On the following pages, we provide you with the NATO Stock Numbers of Wiley X products. The quick-finder will help you find the right number for your requested product.



NATO STOCK NUMBER LIST

WX VAPOR SPECTACLE KIT



MODEL	DESCRIPTION	NSN
● CH3501	Two Lens Set - Grey/Clear - Black	4240-01-630-7493
3502	Three Lens Set - Grey/Clear/Rust - Black	4240-22-629-0758
3511	Two Lens Set - Grey/Clear - Tan	4240-22-637-5852
3512	Three Lens Set - Grey/Clear/Rust - Tan	4240-22-629-0759
● CH35F	Black Frame - w/Accessories	4240-01-632-8165
● CH35C	Replacement Lens - Clear	4240-01-632-5246
● CH35S	Replacement Lens - Grey	4240-01-632-5253
● 35L	Replacement Lens - Light Rust	4240-22-629-0760
● CH35C10	10-Pack Replacement Lenses - Clear	4240-01-632-6549
● CH35S10	10-Pack Replacement Lenses - Grey	4240-01-632-6552
● CH35NP	UPLC Compatible Nosepiece	4240-01-633-4209
● A492B	Retention Strap	4240-01-633-4322
● DN600	Case	4240-01-633-3559
● A425	Cleaning Cloth	4240-01-633-2474

SABER ADVANCED SPECTACLE KIT



MODEL	DESCRIPTION	NSN
300	One Lens Set - Pale Yellow - Black	5120-01-598-6695
301	One Lens Set - Light Rust - Black	5120-01-598-6699
302	One Lens Set - Grey - Black	5120-01-598-6702
303	One Lens Set - Clear - Black	5120-01-598-6706
308	Three Lens Set - Grey/Clear/Light Rust - Black	4240-22-622-9132
308T	Three Lens Set - Grey/Clear/Light Rust - Tan	4240-22-634-4291
306F	Black Frame w/Accessories	8415-22-629-0707
306S	Replacement Lens - Grey	4240-22-629-0708
306L	Replacement Lens - Light Rust	4240-22-629-0709
306C	Replacement Lens - Clear	4240-22-629-0710
306Y	Replacement Lens - Yellow	4240-22-629-0711
306NP	Replacement Nosepiece	8415-22-629-0765

PT-1 SPECTACLE KIT



MODEL	DESCRIPTION	NSN
PT-1SC	Two Lens Set - Grey/Clear - Black	4240-01-510-7853
PT-1SCL	Three Lens Set - Grey/Clear/Light Rust - Black	4240-01-510-7851
PT-1S	One Lens Set - Grey - Black	4240-01-510-7847
PT-1C	One Lens Set - Clear - Black	4240-01-510-7848
PT-1L	One Lens Set - Light Rust	4240-01-510-7845
1SD	50- Pack Replacement Lenses - Grey	4240-01-528-5901
1CD	50- Pack Replacement Lenses - Clear	4240-01-528-5900
TS-235	Replacement Hard Case - Black - Black	4240-01-504-5797
1S	Replacement Lens - Grey	4240-22-632-7430
1C	Replacement Lens - Clear	4240-22-632-7431
1L	Replacement Lens - Light Rust	4240-22-628-7507



● = APEL APPROVED

WX ROGUE SPECTACLE KIT



MODEL	DESCRIPTION	NSN
2801	Two Lens Set - Grey/Clear - Black	4240-22-629-0766
2802	Three Lens Set - Grey/Clear/Rust - Black	4240-22-629-0767
2851	Two Lens Set - Grey/Clear - COMM - Black	4240-22-629-0768
2852	Three Lens Set - Grey/Clear/Rust - COMM - Black	4240-22-629-0769
2811	Two Lens Set - Grey/Clear - Tan	4240-22-629-0770
2812	Three Lens Set - Grey/Clear/Rust - Tan	4240-22-629-0771
2861	Two Lens Set - Grey/Clear - COMM - Tan	4240-22-629-0774
2862	Three Lens Set - Grey/Clear/Rust - COMM - Tan	4240-22-629-0776
280F	Black Frame - w/Accessories	4240-22-629-0778
281F	Tan Frame w/Accessories	4240-22-629-0780
28S	Replacement Lens - Grey	4240-22-629-0781
28L	Replacement Lens - Light Rust	4240-22-629-0783
28C	Replacement Lens - Clear	4240-22-629-0787
PTNP	Replacement Nosepiece	4240-22-629-0790

WX VALOR SPECTACLE KIT



MODEL	DESCRIPTION	NSN
● CH4701	Two Lens Set - Grey/Clear - Black	4240-01-630-7802
● CH47F	Black Frame - w/Accessories	4240-01-632-8161
● CH47C	Replacement Lens - Clear	4240-01-632-5260
● CH47S	Replacement Lens - Grey	4240-01-632-5243
● CH47C10	10-Pack Replacement Lenses - Clear	4240-01-632-6539
● CH47S10	10-Pack Replacement Lenses - Grey	4240-01-632-6551
● A492B	Retention Strap	4240-01-633-4322
● DN650	Case	4240-01-633-3557
● A425	Cleaning Cloth	4240-01-633-2474

ROMER 3 SPECTACLE KIT



MODEL	DESCRIPTION	NSN
1006	Three Lens Set - Grey/Clear/Light Rust - Black	4240-01-510-7864
1006C	Replacement Lens - Clear	4240-01-513-4543
1006S	Replacement Lens - Grey	4240-01-513-4538
1006L	Replacement Lens - Light Rust	4240-01-513-4541
1006F	Black Frame - w/Accessories	4240-01-513-4534
TS-235	Replacement Hard Case - Black	4240-01-504-5797

XL-1 ADVANCED SPECTACLE KIT



MODEL	DESCRIPTION	NSN
291	Two Lens Set - Grey/Clear - Black	4240-01-504-1037
292	Three Lens Set - Grey/Clear/Rust - Black	4240-22-629-0997
2951	Two Lens Set - Grey/Clear - Comm - Black	4240-22-632-7401
2952	Three Lens Set - Grey/Clear/Light Rust - Comm - Black	4240-22-634-4292
XLF	Black Frame - w/Accessories	4240-01-504-6528
XLL	Replacement Lens - Light Rust	4240-22-629-1003
XLC	Replacement Lens - Clear	4240-01-504-5303
XLS	Replacement Lens - Grey	4240-01-504-5308
XLE	Replacement Elastic Strap	4240-01-504-5770
zzzhTS-235	Replacement Hard Case - Black	4240-01-504-5797

WX GUARD SPECTACLE KIT



MODEL	DESCRIPTION	NSN
4004	Two Lens Set - Grey/Clear - Black	4240-22-632-7414
4006	Three Lens Set - Grey/Clear/Light Rust - Black	4240-22-632-7415
4006C	Replacement Lens - Clear	4240-22-632-7416
4006S	Replacement Lens - Grey	4240-22-632-7417
4006L	Replacement Lens - Light Rust	4240-22-632-7418

WX SAINT SPECTACLE KIT



MODEL	DESCRIPTION	NSN
CHSAI06	Three Lens Set - Grey/Clear/Light Rust - Black	4240-22-632-7427
CHSAI07	Two Lens Set - Grey/Clear - Black	4240-22-632-7426

PRESCRIPTION LENS CARRIER



MODEL	DESCRIPTION	NSN
CHX	Prescription Carrier - WX Taton Advanced/Spear	6540-01-584-0073
CHX25	Package of 25 CHX Prescription Carriers	6540-01-585-7160
PTX	Prescription Carrier - Saber Advanced/Vapor/PT-1/Rogue	8465-22-623-3087



TACTICAL EYEWEAR POUCH



MODEL	DESCRIPTION	NSN
TP-100C	Eyewear Pouch - Coyote	8465-22-629-8079

NATO STOCK NUMBER LIST

NERVE GOGGLE KIT



MODEL	DESCRIPTION	NSN
● R-8051	Two Lens Set – Grey/Clear – Black	4240-01-544-4259
R-8052	Three Lens Set – Grey/Clear/Rust – Black	4240-22-629-0731
● R-8052T	Two Lens Set – Grey/Clear – Prescription ADPT – Tan	4240-01-630-6743
● R-8052TF	Tan Frame – w/Accessories	4240-01-633-2458
R-8051S	Replacement Lens – Grey	4240-22-629-0732
R-8051L	Replacement Lens – Light Rust	4240-22-629-0733
R-8051C	Replacement Lens – Clear	4240-22-629-0734
● R-8052C10	10-Pack Replacement Lenses – Clear	4240-01-632-7700
● R-8052S10	10-Pack Replacement Lenses – Grey	4240-01-632-7710
● R-8052ET	Retention Strap – Tan	4240-01-633-4319
● R-8052SLT	Protective Sleeve – Tan	4240-01-633-3511
● TS-235	Case – Black	4240-01-504-5797
● A425	Cleaning Cloth	4240-01-633-2474

NERVE DUAL GOGGLE KIT



MODEL	DESCRIPTION	NSN
RD-8051SCL	Dual Three Lens Set – Grey/Clear/Rust – Black	4240-22-621-1044
RDT-8051SCL	Dual Three Lens Set – Grey/Clear/Rust – Tan	4240-22-629-0714
R-8051F	Black Frame w/Accessories	8465-01-587-1596
R-8051FT	Tan Frame w/Accessories	8465-22-629-0715
RD-8051S	Dual Replacement Lens – Grey	4240-22-629-0716
RD-8051L	Dual Replacement Lens – Light Rust	4240-22-629-0718
RD-8051C	Dual Replacement Lens – Clear	4240-22-629-0719
R-8051E	Elastic Strap – Black	4240-22-629-0723
R-8051ET	Elastic Strap – Tan	4240-22-629-0724
R-8051RASB	Rail Attachment System – Black	4240-22-629-0725
R-8051RAST	Rail Attachment System – Tan	4240-22-629-0726

SPEAR DUAL GOGGLE KIT



MODEL	DESCRIPTION	NSN
SP293DLB	Three Lens Set – Grey/Clear/Rust – Black	4240-22-629-0747
SP293DLT	Three Lens Set – Grey/Clear/Rust – Tan	4240-22-629-0748
SP29DS	Dual Replacement Lens – Grey	4240-22-629-0749
SP29DL	Dual Replacement Lens – Light Rust	4240-22-629-0750
SP29DC	Dual Replacement Lens – Clear	4240-22-629-0751
SP29RASB	Rail Attachment System – Black	4240-22-629-0752
SP29RAST	Rail Attachment System – Tan	4240-22-629-0753

SPEAR GOGGLE KIT



MODEL	DESCRIPTION	NSN
SP293B	Three Lens Set – Grey/Clear/Rust – Black	4240-22-629-0755
SP293T	Three Lens Set – Grey/Clear/Rust – Tan	4240-01-628-8934
SP29B	Two Lens Set – Grey/Clear – Prescription ADPT – Black	4240-01-600-1785
SP29G	Two Lens Set – Grey/Clear – Prescription ADPT – Green	4240-01-600-1791
SP29T	Two Lens Set – Grey/Clear – Prescription ADPT – Tan	4240-01-600-1793
● SP30T	Two Lens Set – Grey/Clear – Prescription ADPT – Tan	4240-01-630-6712
● SP30TF	Tan Frame – w/Accessories	4240-01-633-2229
SP29BF	Black Frame – w/Accessories – Prescription ADPT	4240-01-600-1751
SP29GF	Green Frame – w/Accessories – Prescription ADPT	4240-01-600-1761
SP29TF	Tan Frame – w/Accessories – Prescription ADPT	4240-01-600-1770
SP29L	Replacement Lens – Light Rust	4240-22-629-0757
● SP29C	Replacement Lens – Clear	4240-01-600-1736
● SP29S	Replacement Lens – Grey	4240-01-600-1737
● SP29C10	10-Pack Replacement Lens – Clear	4240-01-600-1733
● SP29S10	10-Pack Replacement Lens – Grey	4240-01-600-1734
SP29EB	Replacement elastic strap – Black	4240-01-600-1771
SP29EG	Replacement elastic strap – Foliage Green	4240-01-600-1775
● SP30ET	Replacement elastic strap – Tan	4240-01-641-1982
● SP30SLT	Protective Sleeve – Tan	4240-01-633-3528
● SP29FCS	Replacement Facial Cavity Seal	4240-01-600-1741
SP29FCS10	10-Pack Replacement Facial Cavity Seal	4240-01-600-1739
● R9101	UPLC Adapter	4240-01-630-2588
● AN571T	Case – Tan	4240-01-633-3571
● A425	Cleaning Cloth	4240-01-633-2474

SG-1



MODEL	DESCRIPTION	NSN
71	Two Lens Set – Extra ventilated	4240-22-611-7464
70	Two Lens Set	4240-01-510-7844
SG-1F	Black Frame – w/Accessories	4240-01-504-6524
SG-1C	Replacement Lens – Clear	4240-01-504-5326
SG-1S	Replacement Lens – Grey	4240-01-504-5312
70C	V-Cut Replacement Lens – Clear	4240-01-513-4525
70S	V-Cut Replacement Lens – Grey	4240-01-513-4519
SG-1E	Replacement elastic strap – Black	4240-01-504-5754
SG-1T	Replacement Temples – Black	4240-01-504-6474
TS-235	Case – w/Lens Storage	4240-01-504-5797
SG-1NP	Replacement Nosepiece	4240-22-616-6077



● = APEL APPROVED

WX COMPASS SPECTACLE KIT



MODEL	DESCRIPTION	NSN
CCCMP01	One Lens Set – Grey – Black	4240-22-632-7402

WX NASH SPECTACLE KIT



MODEL	DESCRIPTION	NSN
ACNAS01	One Lens Set – Grey – Black	4240-22-632-7428

WX REBEL SPECTACLE KIT



MODEL	DESCRIPTION	NSN
ACNREB01	One Lens Set – Grey – Black	4240-22-632-7429

DURTAC ALL-PURPOSE GLOVES [SMARTTOUCH]



MODEL	DESCRIPTION	NSN
G700SM	Black – Smart Touch – Small	8415-22-629-0797
G700ME	Black – SmartTouch – Medium	8415-22-629-0798
G700LA	Black – SmartTouch – Large	8415-22-629-0800
G700XL	Black – SmartTouch – X-Large	8415-22-629-0801
G7002X	Black – SmartTouch – 2X-Large	8415-22-629-0802



G701SM	Tan – SmartTouch – Small	8415-22-629-0803
G701ME	Tan – SmartTouch – Medium	8415-22-629-0805
G701LA	Tan – SmartTouch – Large	8415-22-629-0807
G701XL	Tan – SmartTouch – X-Large	8415-22-629-0808
G7012X	Tan – SmartTouch – 2X-Large	8415-22-629-0809



G702SM	Green – SmartTouch – Small	8415-22-629-0811
G702ME	Green – SmartTouch – Medium	8415-22-629-0813
G702LA	Green – SmartTouch – Large	8415-22-629-0814
G702XL	Green – SmartTouch – X-Large	8415-22-629-0816
G7022X	Green – SmartTouch – 2X-Large	8415-22-629-0817

APX ALL-PURPOSE GLOVES [SMARTTOUCH]



MODEL	DESCRIPTION	NSN
G750SM	Black – SmartTouch – Small	8415-22-629-0998
G750ME	Black – SmartTouch – Medium	8415-22-629-0999
G750LA	Black – SmartTouch – Large	8415-22-629-1000
G750XL	Black – SmartTouch – X-Large	8415-22-629-1001
G7502X	Black – SmartTouch – 2X-Large	8415-22-629-1002



WILEY X EMEA LLC

Europe | Middle East | Africa

Søndergade 8-10, 7570 Vemb, Denmark

Tel: +45 96 93 00 45

Mail: info@wileyx.eu

WWW.WILEYX.EU

WILEY X, USA

North America | South America | Asia | Australia

15755 Preston Rd. Frisco, TX 75033-8903 USA

Tel: 800 776 7842 945 260 1011

Mail: info@wileyx.com

WWW.WILEYX.COM



[wileyxemea](https://www.facebook.com/wileyxemea)



[@wileyxemea](https://www.instagram.com/@wileyxemea)



[Wiley X EMEA](https://www.youtube.com/Wiley-X-EMEA)